

File 348:EUROPEAN PATENTS 1978-2004/May W03

(c) 2004 European Patent Office

File 349:PCT FULLTEXT 1979-2002/UB=20040520,UT=20040513

(c) 2004 WIPO/Univentio

Set	Items	Description
S1	4014	CABLE (3N) (MODEM OR MODULAT? () DEMODULAT?)
S2	48676	(MULTIPLE OR SECTION? OR PORTION? OR PART OR PARTS OR SECT- OR?) (3N) (FRAMES OR FRAME)
S3	7213	PATTERN (3N) MATCH?
S4	1880	ADDRESS (3N) SEGMENT?
S5	11391	VARIOUS (3N) LENGTH?
S6	14907	(BIT OR BYTE OR KILOBYTE? OR MEGABYTE?) (3N) (LENGTH? OR SIZ- E)
S7	6650	WORD (3N) (LENGTH? OR SIZE)
S8	25941	(DATA OR VIDEO) (3N) (SIZE OR VOLUME)
S9	15158	MAC OR MEDIUM() ACCESS() CONTROL
S10	67426	IP OR INTERNET() PROTOCOL?
S11	8750	PROTOCOL() IDENTIFIER? OR PID
S12	15149	MPEG OR MOVING() PICTURE() EXPERT() GROUP
S13	2340	INDEX (3N) (ENTRY OR ENTRIES)
S14	28	MULTIMEDIA (5N) CABLE () NETWORK () SYSTEM
S15	259	AU=(BERNATH, B? OR GOLDENBERG, M? OR BROOKS, J? OR BERNATH B? OR GOLDENBERG M? OR BROOKS J?)
S16	2	S1 (3N) PROGRAMMABLE
S17	20528	(GENERAT? OR CREAT?) (3N) (INDEX OR INDICES OR TABLE?)
S18	56062	IC=H04N?
S19	0	S1 (S) S2 (S) S3
S20	19	S1 (S) S2
S21	12	S20 (S) S4:S12
S22	0	S21 (S) (S13 OR S17)
S23	2	S21 (S) (INDEX OR INDICES OR TABLE?)
S24	2	S23 NOT S16
S25	11	S1 (S) S14
S26	0	S25 (S) S4
S27	0	S25 (S) S5
S28	0	S25 (S) S6
S29	0	S25 (S) S7
S30	0	S25 (S) S8
S31	2	S25 (S) S9
S32	2	S31 NOT (S23 OR S16)
S33	4	S15 AND S1
S34	3	S33 NOT (S31 OR S23 OR S16)

16/3,K/1 (Item 1 from file: 348)

DIALOG(R) File 348:EUROPEAN PATENTS

(c) 2004 European Patent Office. All rts. reserv.

01426388

**Method and device for determining the performance of a network**

**Verfahren und Vorrichtung zur Ermittlung der Leistung eines Netzwerkes**

**Methode et dispositif pour determiner la performance d'un reseau**

PATENT ASSIGNEE:

Sunrise Telecom, Inc., (3149100), 22 Great Oaks Boulevard, San Jose, CA 95119, (US), (Applicant designated States: all)

INVENTOR:

Jawaorski, Richard C., 260 Stoney Ridge Drive, Alpharetta, Georgia 30022, (US)

Richards, Robert L., 1015 Hembree Grove Drive, Roswell, Georgia 30076, (US)

Barker, James E., 108 Indian Branch, Lawrenceville, Georgia 30043, (US)

Elliot, Hermann B., 170 Croftwood Court, Duluth, Georgia 30097, (US)

LEGAL REPRESENTATIVE:

Kirschner, Klaus Dieter, Dipl.-Phys. (6506), Schneiders & Behrendt Rechtsanwalte - Patentanwalte Sollner Strasse 38, 81479 Munchen, (DE)

PATENT (CC, No, Kind, Date): EP 1204240 A2 020508 (Basic)

APPLICATION (CC, No, Date): EP 2001114012 010608;

PRIORITY (CC, No, Date): US 704888 001101

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE; TR

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS: H04L-012/24

ABSTRACT WORD COUNT: 139

NOTE:

Figure number on first page: 5

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200219	319
SPEC A	(English)	200219	4781
Total word count - document A			5100
Total word count - document B			0
Total word count - documents A + B			5100

...SPECIFICATION along with means to program the ASIC with additional functionality. It is preferred that a **programmable** Broadcom **cable modem** ASIC be programmed to include pattern generator 600, addresser 602, comparator 604, and forward error...

16/3,K/2 (Item 1 from file: 349)

DIALOG(R) File 349:PCT FULLTEXT

(c) 2004 WIPO/Univentio. All rts. reserv.

00828356 \*\*Image available\*\*

CABLE MODEM HAVING A PROGRAMMABLE MEDIA ACCESS CONTROLLER  
MODEM CABLE COMPRENANT UNE COMMANDE D'ACCES AU SUPPORT (MAC) PROGRAMMABLE

Patent Applicant/Assignee:

CONEXANT SYSTEMS INC, 4311 Jamboree Road, Newport Beach, CA 92660-3095,  
US, US (Residence), US (Nationality)

Inventor(s):

BROOKS John M, 7071 Quiet Retreat Court, Niwot, CO 80503, US,

BERNATH Brett A, 4167 Calle Mar de Ballenas, San Diego, CA 92130, US,

Legal Representative:

SHORT Shayne X (agent), Akin, Gump, Strauss, Hauer & Feld, L.L.P., 816  
Congress Avenue, 19th Floor, Austin, TX 78701, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200161935 A1 20010823 (WO 0161935)

Application: WO 2001US5028 20010216 (PCT/WO US0105028)

Priority Application: US 2000183130 20000217; US 2001785035 20010216  
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR

Publication Language: English

Filing Language: English

Fulltext Word Count: 6533

**CABLE MODEM HAVING A PROGRAMMABLE MEDIA ACCESS CONTROLLER**

Fulltext Availability:

Detailed Description

Claims

English Abstract

A **cable modem** having a **programmable** media access controller (MAC).  
A single cable modem device includes all necessary MAC functions. The...

Detailed Description

... and claims priority to U.S. Provisional Patent  
Application Serial No. 60/183,130 entitled "**CABLE MODEM HAVING A  
PROGRAMMABLE MEDIA ACCESS CONTROLLER**," (Attorney Docket No.

OOCXT0316DP), filed February 17, 2000. All of such application...

...present invention relates generally to a cable modem; and, more  
particularly, it relates to a **cable modem** having a **programmable**  
media access controller.

## 2. Related Art

In recent years, cable television networks have become more...

...to the drawings.

3

## SUMMARY OF THE INVENTION

Briefly, the present invention relates to a **cable modem** having a  
**programmable** media access controller (MAC). In one embodiment of the  
invention, a single cable modem device...the peripheral bus and the  
system bus as determined, at least in part, by the **programmable** MAC.

A **cable modem** device having a **programmable** MAC according to the  
present  
invention provides a software upgrade path to permit support for new  
versions of standards as they are adapted. Further, the **programmable**  
nature of the **cable modem** device permits individual manufacturers to  
differentiate products at the MAC layer without having to modify...

...in conjunction with the following drawings.

Figure I is a block diagram of an exemplary **cable modem** device having  
a  
**programmable** cable media access controller according to the present  
invention; Figure 2 is a schematic block...power on processes is complete  
and the programmable MAC is ready for operation.

Thus, a **cable modem** having a **programmable** MAC has been described.  
The programmable MAC features of the cable modem provide a software...

24/3,K/1 (Item 1 from file: 348)

DIALOG(R) File 348:EUROPEAN PATENTS

(c) 2004 European Patent Office. All rts. reserv.

01313485

Communication system with multicarrier telephony transport

Kommunikationssystem mit Mehrtragertelefonubertagbarkeit

Systeme de communication de transmission telephonique a porteuses multiples

PATENT ASSIGNEE:

ADC Telecommunications, Inc., (697353), 12501 Whitewater Drive,  
Minnetonka, MN 55343, (US), (Applicant designated States: all)

INVENTOR:

Dapper, Mark J., 6558 Baywood Lane, Cincinnati, Ohio 45224, (US)

Geile, Michael J., 2215 Trappers Knoll, Vatavia, Ohio 45103, (US)

Hill, Terrance J., 1765 Garret House Lane, Fairfield, Ohio 45014, (US)

Roberts, Harold A., 7017 Beacon Circle, Eden Prairie, Minnesota 55346,  
(US)

Anderson, Brian D., 11430-50th Place North, Plymouth, Minnesota 55442,  
(US)

Brede, Jeffrey, 8073 Curtis Lane, Eden Prairie, Minnesota 55347, (US)

Wadman, Mark S., 4416 Fairfax Hill Drive, Plano, Texas 75024, (US)

Kirscht, Robert J., 13106 Vernon Avenue South, Savage, Minnesota 55378,  
(US)

Herrmann, James J., 1894 Sunrise Court, Eagan, Minnesota 55122, (US)

Fort, Michael J., 17 Terry Drive, Monroe, New York 10950, (US)

Buska, Steven P., 13370 Stanton Drive, Minnetonka, Minnesota 55305, (US)

Solum, Jeff, 4900 West 78th Street, Bloomington, Minnesota 55435, (US)

Enfield, Debra Lea, 464 Ridge Court, Chaska, Minnesota 55318, (US)

Berg, Darrell, 4900 West 78th Street, Bloomington, Minnesota 55435, (US)

Smigelski, Thomas, 230 Waterford Drive, Lake Zurich, Illinois 60047, (US)

Tucker, Thomas C., 205 Silver Creek Trail, Chapel Hill, North Carolina  
27514, (US)

Hall, Joe, 4900 West 78th Street, Bloomington, Minnesota 55435, (US)

Logajan, John M., 4248 Hamline Avenue, Arden Hills, Minnesota 55112, (US)  
Boualouang, Somvay, 402 76th Avenue North, Brooklyn Park, Minnesota 55444  
(US)

Elpers, Mark D., 16303 205th Avenue NW, Elk River, Minnesota 55330, (US)

Elpers, Mark D., 16303 205th Avenue NW, Elk River, Minnesota 55330, (US)

Ferris, Tammy, 4900 West 78th Street, Bloomington, Minnesota 55435, (US)

Opoczynski, Adam, 3705 Roxbury Lane, Plano, Texas 75025, (US)

Russel, David S., 2117 Dudley Avenue, St. Paul, Minnesota 55108, (US)

Nelson, Calvin, 26190 Birch Bluff Road, Excelsior, Minnesota 55331, (US)

Samant, Niranjan R., 109 Green Spring Circle, Lansdale, Pennsylvania  
19446, (US)

Chiappetta, Joseph F., 6 Ranch Drive, Trumbull, Connecticut 06611, (US)

Sarnikowski, Scott, 5347 Silver Point Way, San Jose. California 95138,  
(US)

LEGAL REPRESENTATIVE:

Beresford, Keith Denis Lewis et al (28273), BERESFORD & Co. 2-5 Warwick  
Court, High Holborn, London WC1R 5DH, (GB)

PATENT (CC, No, Kind, Date): EP 1122650 A2 010808 (Basic)  
EP 1122650 A3 020116

APPLICATION (CC, No, Date): EP 2001201516 970124;

PRIORITY (CC, No, Date): US 10497 960124; US 10506 960124; US 673002 960628  
; US 650408 960520

DESIGNATED STATES: AT; BE; CH; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU;  
MC; NL; PT; SE

RELATED PARENT NUMBER(S) - PN (AN):

EP 882268 (EP 97903135)

INTERNATIONAL PATENT CLASS: G06F-017/14; H04L-001/00; H04L-001/24;  
H04L-005/02; H04L-005/14; H04L-012/10; H04L-012/12; H04L-012/26;

H04L-012/28; H04L-012/44; H04L-027/26; H04M-007/00; H04L-027/34;  
H04L-025/03  
ABSTRACT WORD COUNT: 101  
NOTE:  
Figure number on first page: 1

LANGUAGE (Publication, Procedural, Application): English; English; English  
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200132	713
SPEC A	(English)	200132	79700
Total word count - document A			80413
Total word count - document B			0
Total word count - documents A + B			80413

...SPECIFICATION each of the plurality of regions to detect a unique identifier for each service unit **modem** to determine which region of the first frequency bandwidth the service unit modem is to... radix core 2600;

Figures 75, 76, 77, 78, 79, 80, 81, 82 together form a **table** showing the order of calculations for a "normal butterfly sub-operation";  
Figures 83, 84, 85, 86, 87, 88, 89, 90 together form a **table** showing the order of calculations for a "transposed butterfly sub-operation";  
Figure 91 is a...

...12 of the system 500 according to the present invention;  
Figure 98 illustrates a Personal **Cable** Data **Modem** (PCDM) 540 and a Data Modem Service Module (DMSM) 550;  
Figure 99 illustrates in greater...  
...580 according to the present invention;  
Figure 112 illustrates a PCDM 620 adapted for asymmetrical **data** delivery;  
Figure 113 illustrates the head-end configuration for asymmetrical data delivery according to the...

**24/3,K/2 (Item 1 from file: 349)**

DIALOG(R) File 349:PCT FULLTEXT  
(c) 2004 WIPO/Univentio. All rts. reserv.

01066614 \*\*Image available\*\*

**METHOD AND SYSTEM FOR MEDIA**

**PROCEDE ET SYSTEME POUR CONTENU MULTIMEDIA**

Patent Applicant/Inventor:

RISAN Hank, 515 Washington Street, Santa Cruz, CA 95060, US, US  
(Residence), US (Nationality)

FITZGERALD Edward Vincent, 100 Peach Terrace, Santa Cruz, CA 95060, US,  
US (Residence), US (Nationality)

Legal Representative:

GALLENSON Mavis S (et al) (agent), Ladas & Parry, 5670 Wilshire  
Boulevard, Suite 2100, Los Angeles, CA 90036, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200396340 A2 20031120 (WO 0396340)

Application: WO 2003US14878 20030510 (PCT/WO US03014878)

Priority Application: US 2002379979 20020510; US 2002378011 20020510; US  
2002218241 20020813; US 2002235293 20020904; US 2002304390 20021125; US  
2002325243 20021218; US 2003364643 20030210; US 2003451231 20030228; US  
2003430843 20030505; US 2003430477 20030505

Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU  
CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP  
KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NI NO NZ OM PH PL PT

RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW  
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT RO SE  
SI SK TR

(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG  
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW  
(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext Word Count: 222812

?

32/3,K/1 (Item 1 from file: 348)  
DIALOG(R) File 348:EUROPEAN PATENTS  
(c) 2004 European Patent Office. All rts. reserv.

01451001

Optical cable modem  
Optisches Kabelmodem  
Modem de cable optique

PATENT ASSIGNEE:

EMC Electronic Media Communication S.A., (3959650), Via Pellandini 5,  
6501 Bellinzona, (CH), (Applicant designated States: all)

INVENTOR:

Marcionetti, Raffaello, Via Casatorre, 6714 Semione, (CH)  
Franscini, Giovanni, Via al Maglio 5, 6710 Biasca, (CH)  
Tonini, Andrea, c/o EMC Elect. Media Com. S.A., Via Pellandini 5, 6501  
Bellinzona, (CH)

LEGAL REPRESENTATIVE:

Fiammenghi-Domenighetti, Delfina et al (41514), Fiammenghi-Fiammenghi,  
Via San Gottardo 15, 6900 Lugano, (CH)

PATENT (CC, No, Kind, Date): EP 1241811 A2 020918 (Basic)

APPLICATION (CC, No, Date): EP 2002405169 020306;

PRIORITY (CC, No, Date): CH 0146320 010313

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;  
LU; MC; NL; PT; SE; TR

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS: H04B-010/207

ABSTRACT WORD COUNT: 88

NOTE:

Figure number on first page: 1

LANGUAGE (Publication, Procedural, Application): English; English; Italian  
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200238	606
SPEC A	(English)	200238	4046
Total word count - document A			4652
Total word count - document B			0
Total word count - documents A + B			4652

...SPECIFICATION of the DOCSIS 1.X standards according to the version drawn  
up by the MCNS ( Multimedia Cable Network System Partners Ltd) and  
IEEE 802.14 consortium, and Table 1B. In particular, the whole process...

...to the physical layer of the OSI stack and consequently forms an  
interface between the MAC MCNS and 802.14 layers and the optical fibre  
transmission medium. It is located in the layer identified as the <<  
cable modem digital physical layer>> in Table 1B.

With reference to Fig. 1, a CATV network with...

32/3,K/2 (Item 1 from file: 349)  
DIALOG(R) File 349:PCT FULLTEXT  
(c) 2004 WIPO/Univentio. All rts. reserv.

00961467 \*\*Image available\*\*

BROADBAND COMMUNICATIONS  
COMMUNICATIONS A LARGE BANDE

Patent Applicant/Assignee:

IMAGINE BROADBAND LIMITED, Carmelite, 50 Victoria Embankment,  
Blackfriars, London EC4Y 0DX, GB, GB (Residence), GB (Nationality),

(For all designated states except: US)

Patent Applicant/Inventor:

MCKEOWN Jean Chrisophe, 18 Domaine de Snanque, F-06210 Mandelieu, FR, FR  
(Residence), FR (Nationality), (Designated only for: US)  
CHABRIER Henri, Imagine Broadband Sarl, 1230, route de la Mer, F-06410  
Biot, FR, FR (Residence), FR (Nationality), (Designated only for: US)

Legal Representative:

KAZI Ilya (et al) (agent), Mathys & Squire, 100 Grays Inn Road, London  
WC1X 8AL, GB,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200295584 A2 20021128 (WO 0295584)  
Application: WO 2002GB2372 20020522 (PCT/WO GB0202372)  
Priority Application: EP 2001401351 20010522; EP 2001401767 20010703; WO  
2002GB1461 20020326

Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU  
CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP  
KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO  
RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM ZW  
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR  
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG  
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW  
(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext Word Count: 42194

Fulltext Availability:

Detailed Description

Detailed Description

... is shown in Figure 18. In a preferred embodiment, the parameters  
displayed may include.

MCNS ( Multimedia Cable Network System ) IP addressing  
MAC address 1802: Set-Top-Box integrated **cable modem** physical  
address  
STB IP 1804: Configured Set-Top-Box 1P address  
DNS Server IP 1806...

...mask

Default gateway IP 1810: Configured default gateway IP address  
Quality of service 1812: Current **cable modem** configuration file  
(which may be used  
to define the Quality of Service allocated to the...

?

34/3,K/1 (Item 1 from file: 348)

DIALOG(R) File 348:EUROPEAN PATENTS

(c) 2004 European Patent Office. All rts. reserv.

01342540

MODEM CABLE AVEC UN CONTROLEUR D'ACCES AU MEDIA PROGRAMMABLE  
KABELMODEM MIT EINER PROGRAMMBAREN MEDIENZUGRIFFSSTEUEREINHEIT  
MODEM CABLE COMPRENANT UNE COMMANDE D'ACCES AU SUPPORT (MAC)  
PROGRAMMABLE

PATENT ASSIGNEE:

Conexant Systems, Inc., (2732580), 4311 Jamboree Road, Newport Beach,  
California 92660-3095, (US), (Applicant designated States: all)

INVENTOR:

**BROOKS, John M.**, 7071 Quiet Retreat Court, Niwot, CO 80503, (US)

**BERNATH, Brett A.**, 4167 Calle Mar de Ballenas, San Diego, CA 92130, (US)

LEGAL REPRESENTATIVE:

Hitchcock, Esmond Antony (55551), Lloyd Wise Commonwealth House, 1-19 New  
Oxford Street, London WC1A 1LW, (GB)

PATENT (CC, No, Kind, Date): EP 1256206 A1 021113 (Basic)  
WO 2001061935 010823

APPLICATION (CC, No, Date): EP 2001910824 010216; WO 2001US5028 010216

PRIORITY (CC, No, Date): US 183130 P 000217; US 785035 010216

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;  
LU; MC; NL; PT; SE; TR

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS: H04L-012/28

NOTE:

No A-document published by EPO

LANGUAGE (Publication, Procedural, Application): English; English; English

MODEM CABLE AVEC UN CONTROLEUR D'ACCES AU MEDIA PROGRAMMABLE  
MODEM CABLE COMPRENANT UNE COMMANDE D'ACCES AU SUPPORT (MAC)  
PROGRAMMABLE

INVENTOR:

**BROOKS, John M** ...

...US)

**BERNATH, Brett A** ...

34/3,K/2 (Item 1 from file: 349)

DIALOG(R) File 349:PCT FULLTEXT

(c) 2004 WIPO/Univentio. All rts. reserv.

00794619 \*\*Image available\*\*

METHOD AND APPARATUS FOR UPSTREAM BURST TRANSMISSION SYNCHRONIZATION IN  
CABLE MODEMS

PROCEDE ET APPAREIL DE SYNCHRONISATION DE TRANSMISSION DE RAFALE EN AMONT  
DANS DES MODEMS PAR CABLE

Patent Applicant/Assignee:

CONEXANT SYSTEMS INC, 4311 Jamboree Road, Newport Beach, CA 92660, US, US  
(Residence), US (Nationality)

Inventor(s):

**BERNATH Brett Alan**, 4167 Calle Mar De Ballenas, San Diego, CA 92130, US

**BROOKS John Milford**, 12198 Salix Way, San Diego, CA 92129, US,  
MEHTA Manoj, 25851 Faircourt Lane, Laguna Hills, CA 92656, US,  
GOLDENBERG Yoav Pesach, Lehi Street 27, 27235 Kiryat Byalic, IL

Legal Representative:

RITTMMASTER Ted R (agent), Foley & Lardner, Suite 3500, 2029 Century Park

East, Los Angeles, CA 92667-3021, US,  
Patent and Priority Information (Country, Number, Date):  
Patent: WO 200128147 A2-A3 20010419 (WO 0128147)  
Application: WO 2000US28010 20001009 (PCT/WO US0028010)  
Priority Application: US 99415612 19991009  
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE  
Publication Language: English  
Filing Language: English  
Fulltext Word Count: 13635

Inventor(s):  
BERNATH Brett Alan ...

... BROOKS John Milford  
Fulltext Availability:  
Detailed Description

#### English Abstract

...the cable head end is disclosed. The system includes a free running counter within a **cable modem** (CM) or network interface unit (NIU), along with logic to capture the value of this...

...SYNC data arrives, to create a time tag stored in memory. A computer within the **cable modem** or network interface unit has access to the time tags in memory and the contents...

...the value of the local counter becomes equal to a calculated value, thus causing the **cable modem** to initiate its upstream burst transmission precisely at the time commanded by the head end.

#### French Abstract

...de ligne du cable. Ce systeme comprend un compteur sans signaux de synchronisation dans un **modem** (CM) par **cable** ou une unite (NIU) d'interface de reseau, ainsi qu'une logique destinee a capturer...

...arrive, de facon a creer une etiquette temporelle stockee en memoire. Un ordinateur dans le **modem** par **cable** ou l'unite d'interface de reseau peut acceder a ces etiquettes temporelles en memoire...

...valeur du compteur local est egale a une valeur calculee, ce qui fait que le **modem** par **cable** initie la transmission de rafale en amont precisement au moment commande par la tete de...

#### Detailed Description

... to the head end (the upstream path). The individual user requires equipment, such as a **cable modem**, that can both receive from the head end and transmit to it. A cable data...

...capability of both receiving and transmitting data through the use of equipment such as a **Cable Modem** (CM). To assure that each user receives the data they require, a network protocol must...

...user end.

Generally, the head end serves as the network controller, and the user's **cable modem** must be able to respond to commands from the head end. In order to support...

...the network protocol divides the cable network's bandwidth into frequency channels. Each user's **cable modem** then can be tuned to

system time (206) to be referenced to local time (218). The OK...  
...and may safely transmit messages upstream.

In a preferred MCNS embodiment, the firmware within the **cable modem** implements a SPPLL (Software Phase Locked Loop) to synchronize an accumulator to the master clock...

**34/3,K/3 (Item 2 from file: 349)**  
DIALOG(R) File 349:PCT FULLTEXT  
(c) 2004 WIPO/Univentio. All rts. reserv.

00787044 \*\*Image available\*\*  
**BIOMETRIC RECOGNITION UTILIZING UNIQUE ENERGY CHARACTERISTICS OF AN INDIVIDUAL ORGANISM**  
**RECONNAISSANCE BIOMÉTRIQUE UTILISANT LES CARACTÉRISTIQUES ENERGETIQUES UNIQUES DE L'ORGANISME D'UN INDIVIDU**

Patent Applicant/Assignee:

QUID TECHNOLOGIES LLC, Suite 3400, 150 E. 58th Street, New York, NY 10155  
, US, US (Residence), US (Nationality), (For all designated states  
except: US)

Patent Applicant/Inventor:

**BROOKS Juliana H J**, 5689 Walnut View Boulevard, Columbus, OH 43230, US,  
US (Residence), US (Nationality), (Designated only for: US)

Legal Representative:

GREENLEE David A (agent), P.O. Box 340557, Columbus, OH 43234, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200120538 A2-A3 20010322 (WO 0120538)

Application: WO 2000US25300 20000915 (PCT/WO US0025300)

Priority Application: US 99396112 19990915; US 99395912 19990915; US 99396113 19990915

Designated States: AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW  
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE  
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG  
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW  
(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext Word Count: 49131

Patent Applicant/Inventor:

**BROOKS Juliana H J** ...

Fulltext Availability:

Detailed Description

Detailed Description

... communication directly through mechanisms including but not limited to contact electrode 183, wire, fiber optic **cable**, **modem** 197, and such; and (3) Sensor(s) 333 and reader 174 housed separately, and communicating...  
?